

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3012 16th Avenue West
Seattle, WA 98119-2029
FAX: (206) 283-5044

August 15, 1994


Gerald A. Thompson, Project Leader
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134

Dear Mr. Thompson:

Enclosed are the amended results from the testing of material submitted on July 29, 1994 from Project 7238, % of Acid, PO #M35562. The report has been amended to reflect the correct calculations for percent acid.

We are sorry for any inconvenience this may have caused you and hope you will call if you should have any questions.

Sincerely,



Bradley T. Benson
Chemist

BTB/dp

Enclosures

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

AMENDED 8/15/94

Date of Report: August 4, 1994

Date Received: July 29, 1994

Project: 7238, % of Acid, PO #M35562

Date Samples Extracted: August 4, 1994

Date Extracts Analyzed: August 4, 1994

RESULTS FROM THE ANALYSIS OF PROCESS WATER SAMPLES

FOR PERCENT ACID AS HN0_3

Results Reported as Percent

<u>Sample ID</u>	<u>Percent Acid</u>
M35562 A	8.4
M35562 B	9.0

Quality Assurance

M35562 B (Duplicate)	9.0
-------------------------	-----